


ProLinear *Plus*



CERAMIC WALL TILES

ProLinear *Plus*


BY SIZE 3" x 6"



White 7.5x15 cm | 3"x6" SUBWAY
Gloss | Matte



Grey 7.5x15 cm | 3"x6" SUBWAY
Gloss | Matte



Ivory 7.5x15 cm | 3"x6" SUBWAY
Gloss | Matte



Oatmeal 7.5x15 cm | 3"x6" SUBWAY
Gloss | Matte



Pewter 7.5x15 cm | 3"x6" SUBWAY
Gloss



Mint 7.5x15 cm | 3"x6" SUBWAY
Gloss



Denim 7.5x15 cm | 3"x6" SUBWAY
Gloss



Slate Blue 7.5x15 cm | 3"x6" SUBWAY
Gloss



Fog Grey 7.5x15 cm | 3"x6" SUBWAY
Gloss




Gunmetal 7.5x15 cm | 3"x6" SUBWAY
Gloss



Black 7.5x15 cm | 3"x6" SUBWAY
Gloss | Matte


BY SIZE 4" x 8"



White 10x20 cm | 4"x8" SUBWAY
Gloss | Matte



Grey 10x20 cm | 4"x8" SUBWAY
Gloss | Matte




Ivory 10x20 cm | 4"x8" SUBWAY
Gloss




Oatmeal 10x20 cm | 4"x8" SUBWAY
Gloss




Pewter 10x20 cm | 4"x8" SUBWAY
Gloss



White 10x20 cm | 4"x8" BEVEL
Gloss | Matte



Grey 10x20 cm | 4"x8" BEVEL
Gloss | Matte



Ivory 10x20 cm | 4"x8" BEVEL
Gloss



Oatmeal 10x20 cm | 4"x8" BEVEL
Gloss




Pewter 10x20 cm | 4"x8" BEVEL
Gloss




White 10x20 cm | 4"x8" FRAME
Gloss | Matte



Grey 10x20 cm | 4"x8" FRAME
Gloss | Matte



Ivory 10x20 cm | 4"x8" FRAME
Gloss



Oatmeal 10x20 cm | 4"x8" FRAME
Gloss




Pewter 10x20 cm | 4"x8" FRAME
Gloss

ProLinear

Plus


BY SIZE 4" x 12"



White 10x30 cm | 4"x12" SUBWAY
Gloss | Matte



Grey 10x30 cm | 4"x12" SUBWAY
Gloss | Matte



Ivory 10x30 cm | 4"x12" SUBWAY
Gloss | Matte




Oatmeal 10x30 cm | 4"x12" SUBWAY
Gloss | Matte



Pewter 10x30 cm | 4"x12" SUBWAY
Gloss




Black 10x30 cm | 4"x12" SUBWAY
Gloss | Matte




White 10x30 cm | 4"x12" BEVEL
Gloss | Matte




Grey 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Ivory 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Oatmeal 10x30 cm | 4"x12" BEVEL
Gloss | Matte



Pewter 10x30 cm | 4"x12" BEVEL
Gloss



Black 10x30 cm | 4"x12" BEVEL
Gloss | Matte




White 10x30 cm | 4"x12" FRAME
Gloss | Matte



Grey 10x30 cm | 4"x12" FRAME
Gloss | Matte



Ivory 10x30 cm | 4"x12" FRAME
Gloss | Matte



Oatmeal 10x30 cm | 4"x12" FRAME
Gloss | Matte



Pewter 10x30 cm | 4"x12" FRAME
Gloss



Black 10x30 cm | 4"x12" FRAME
Gloss | Matte



Mint 10x30 cm | 4"x12" SUBWAY
Gloss



Denim 10x30 cm | 4"x12" SUBWAY
Gloss




Slate Blue 10x30 cm | 4"x12" SUBWAY
Gloss




Fog Grey 10x30 cm | 4"x12" SUBWAY
Gloss



Gunmetal 10x30 cm | 4"x12" SUBWAY
Gloss



Mint 10x30 cm | 4"x12" BEVEL
Gloss



Denim 10x30 cm | 4"x12" BEVEL
Gloss




Slate Blue 10x30 cm | 4"x12" BEVEL
Gloss



Fog Grey 10x30 cm | 4"x12" BEVEL
Gloss



Gunmetal 10x30 cm | 4"x12" BEVEL
Gloss



Mint 10x30 cm | 4"x12" FRAME
Gloss




Denim 10x30 cm | 4"x12" FRAME
Gloss



Slate Blue 10x30 cm | 4"x12" FRAME
Gloss




Fog Grey 10x30 cm | 4"x12" FRAME
Gloss




Gunmetal 10x30 cm | 4"x12" FRAME
Gloss

BY SIZE 4" x 16"



White 10x40 cm | 4"x16" SUBWAY
Gloss | Matte



Ivory 10x40 cm | 4"x16" SUBWAY
Gloss



Oatmeal 10x40 cm | 4"x16" SUBWAY
Gloss

Series

PRO LINEAR PLUS

COLORS / SIZES

COLORS >																
	WHITE BR	WHITE MA	IVORY BR	IVORY MA	OATMEAL BR	OATMEAL MA	GREY BR	GREY MA	BLACK BR	BLACK MA	FOG BR	PEWTER BR	GUMETAL BR	SLATE BLUE BR	DENIM BR	MINT BR
SIZE DESCRIPTION 7.5x15cm / 3"x6"	FLAT															
	BEVEL															
	FRAME															
	N 3" EDGE RES**															
10x20cm / 4"x8"	BN 6" EDGEREL*															
	FLAT															
	BEVEL															
	FRAME															
10x30cm / 4"x12"	N 4" EDGE RES**															
	BN 8" EDGE REL*															
	FLAT															
	BEVEL															
10x40cm / 4"x16"	FRAME															
	N 4" EDGE RES**															
	BN 12" EDGE REL*															
	FLAT															
	BEVEL															
	FRAME															
	N 4" EDGE RES**															
	BN 16" EDGE REL*															



WALLS



FIRE PROOF



VOC FREE

ProLinear

Plus

PRODUCT INFORMATION

Type / Size	Finish	Rectified	Unit	Work Size mm	Thick mm	SQM/ Faces	SF/ Carton	Pieces/ Carton	
 7.5x15 cm 3x6 SUBWAY	GLOSS / MATTE	NO	SF or SQM	76.3 x 154.6	7.00	1	0.94	10.12	80
 10x20 cm 4x8 SUBWAY	GLOSS / MATTE	NO	SF or SQM	100.0 x 200.0	7.00	1	1.10	11.84	55
 10x20 cm 4x8 BEVELED	GLOSS / MATTE	NO	SF or SQM	100.0 x 200.0	7.70	1	1.00	10.76	50
 10x20 cm 4x8 FRAMED	GLOSS / MATTE	NO	SF or SQM	100.0 x 200.0	7.70	1	1.00	10.76	50
 10x30 cm 4x12 SUBWAY	GLOSS / MATTE	NO	SF or SQM	100.0 x 300.0	7.00	1	1.02	10.98	34
 10x30 cm 4x12 BEVELED	GLOSS / MATTE	NO	SF or SQM	100.0 x 300.0	9.00	1	0.78	8.40	26
 10x30 cm 4x12 FRAMED	GLOSS / MATTE	NO	SF or SQM	100.0 x 300.0	9.00	1	0.78	8.40	26
 10x40 cm 4x16 SUBWAY	GLOSS / MATTE	NO	SF or SQM	100.0 x 400.0	7.00	1	1.36	14.64	34
 TRIM 6" SIDE 7.5x15 cm 3x6 REL	GLOSS / MATTE	NO	PC	73.7 x 154.6	7.00	1	0.91	9.80	80
 TRIM 3" SIDE 7.5x15 cm 3x6 RES	GLOSS / MATTE	NO	PC	76.3 x 151.8	7.00	1	0.93	10.01	80
 TRIM 8" SIDE 10x20 cm 4x8 REL	GLOSS / MATTE	NO	PC	97.2 x 200.0	7.00	1	1.07	11.52	55
 TRIM 4" SIDE 10x20 cm 4x8 RES	GLOSS / MATTE	NO	PC	100.0 x 197.2	7.00	1	1.08	11.63	55
 TRIM 12" SIDE 10x30 cm 4x12 REL	GLOSS / MATTE	NO	PC	97.2 x 300.0	7.00	1	0.99	10.66	34
 TRIM 4" SIDE 10x30 cm 4x12 RES	GLOSS / MATTE	NO	PC	100.0 x 297.2	7.00	1	1.01	10.87	34
 TRIM 16" SIDE 10x40 cm 4x16 REL	GLOSS / MATTE	NO	PC	97.2 x 400.0	7.00	1	1.32	14.21	34
 TRIM 4" SIDE 10x40 cm 4x16 RES	GLOSS / MATTE	NO	PC	100.0 x 397.2	7.00	1	1.35	14.53	34

USAGE RECOMMENDATION

	Target DCOF wet	Suitable
Dry & Level - Interior Floor	N/A	
Wet & Level - Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (Including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes - Interior (Residential or Commercial)	N/A	✓
Countertops	N/A	✓
Facades	N/A	
Pool Linings	N/A	

INSTALLATION AND CARE

Grout Joint Recommendation 2 mm - 1/16"
Shade Variation V1

Professional tile installation is recommended. Follow the grout manufacturer instructions for the complete removal of grout and construction residue from initial installation.

We recommend using a cloth with water and a neutral cleaner (soap less) or a general household cleaner for wall tiles cleaning.

PERFORMANCE CHARACTERISTICS

	NORM	Result
Water Absorption	(ANSI A137.1/ASTM C373-16)	≤ 20%
Breaking Strength	(ANSI A137.1/ASTM C648-04)	≥ 125 lbs
DCOF WET	ANSI A137.1 ANSI A326.3	N/A
Scratch Hardness	MOHS	4
Frost Resistance	(ISO 13006/ ISO 10545)	No
Chemical Resistance	(ANSI A137.1/ASTM 650-04)	A
Stain Resistance	(ANSI A137.1/ASTM C1378-04)	A

QUALITY WARRANTY

 Standard quality tiles meet or exceed ISO 13006, ANSI A137.1 standards.	 Ceramic and porcelain tiles are NOT flammable, except mesh material of mesh mounted mosaics.
 Ceramic and porcelain tiles are low-emitting materials with zero emission of volatile organic compounds (VOC).	

ProLinear *Plus*

